
Atty. Dkt. No.: 4730.00015
Inventor: K.J. Slater, et. al.
Title: ASSAY METHODS AND MATERIALS

1/10

## FIGURE 1

#### MycoAlert - K562 Cell Culture





U.S. Serial No., TBA Atty. Dkt. No., 4730.00015 Inventor, K.J. Slater, et. al. Title: ASSAY METHODS AND MATERIALS

# *2/10*

FIGURE 2

K562 JURKAT U937 K562T75 CHOmra COS-7 CHO COS-7 CM






O.S. Serial No.: TBA Atty. Dkt. No.: 4730.00015 Inventor: K.J. Slater, et. al. Title: ASSAY METHODS AND MATERIALS

# 3/10

### FIGURE 3


#### Contaminated Cell Lines Treated With MRA



O:STSCHAI NO.: TBA Atty. Dkt. No.: 4730.00015
Inventor K.J. Slater, et. al.
Title: ASSAY METHODS AND MATERIALS

4/10

FIGURE 4




List Serial No.. LBA Atty, Dkt. No.. 4730.00015
Inventor: K.J. Slater, et. al.
Title: ASSAY METHODS AND MATERIALS

*5/10* 

# FIGURE 5

# Mycoplasma hyorhinis




U.S. Serial No.: TBA Atty. Dkt. No.: 4730.00015

liiventor: K.J. Slater, et. al.

Title: ASSAY METHODS AND MATERIALS

*6/10* 

# FIGURE 6




Senal No.: TBA Atty. Dkt. No.. 4730.00015
Inventor: K.J. Slater, et. al.
Title: ASSAY METHODS AND MATERIALS U.S. Serial No.: TBA

7/10


FIGURE 7

#### Mycoplasma orale - 1450 CFU Per Well



# FIGURE 8

#### Detection of Mycoplasma Orale




O.S. Serial No.: TBA Atty. Dkt. No.: 4730.00015 Inventor. K.J. Slater, et. al. Title: ASSAY METHODS AND MATERIALS

*8/10* 

# FIGURE 9

# K562 Mycoplasma (MH) Infected




C.S. Senāi No., TBA Atty. Dkt. No., 4730.00015 Inventor: K.J. Slater, et. al. Title: ASSAY METHODS AND MATERIALS

9/10

## FIGURE 10

#### **Effect of Increasing Triton X-100 Concentrations**



U.S. Serial No.. TBA Atty. Dkt. No.. 4730.00015 Inventor. K.J. Slater, et. al. Title: ASSAY METHODS AND MATERIALS

*10/10* 

### FIGURE 11

#### Effect of Triton on E.coli and M.hyorhinis

